



EACOME

# Eacome Video Collaboration System




SV3600

## SV3600


EACOME SV3600, our video conferencing solution for mid to large-sized meeting rooms, delivers high quality HD video and crystal clear audio, allowing any meeting place to be a video collaboration space. With advanced features like acoustic echo cancellation, noise reduction technology, and intuitive controls, it's easier than ever to include everyone in the conversation. The SV3600's audio system has 12 high sensitivity microphone arrays. With high-order beamforming technology to create strong sensitivity and narrow directionality for sounds, the SV3600 can offer an ultra-high voice quality, which is like as face to face talking during remote communication. Meanwhile, the SV3600 digital speaker unit is so powerful and transparent.

SV3600 Powered by Beamforming Technology



High-order Beamforming Technology

Microphone Beamforming System  
12 HD Microphones  
Broadcast Quality



Microphone System

## Ecome SV3600 System Features



### PLUG-AND-PLAY SIMPLICITY

USB plug-and-play connectivity makes the SV3600 a breeze to deploy and use. Simply connect GROUP the conference room computer or your laptop through USB, and you're good to go. Use SV3600 audio system with any video conferencing software, including those you already use.

### 12 BEAMFORMING MICROPHONES, BROADCAST LEVEL AUDIO

The SV3600 audio system has 12 high sensitivity microphone arrays. With high-order beamforming technology to create strong sensitivity and narrow directionality for sounds, the SV3600 can offer a ultra-high voice quality, which is like as face to face talking during remote communication. Meanwhile, the SV3600 digital speaker unit is so much powerful and transparent than ever. In terms of communication, with the 48K digital bandwidth, full-duplex echo cancellation, dynamic noise reduction, smart microphone mixing and ultra-long-distance automatic gain control and other international advanced technologies, the SV3600 presents a relaxing and immersive experience to the participants.

### OPTIONS GIVE YOU VERSATILITY, CABLING MADE EASY

Customize the setup to match the layout and size of your room. Mount the camera on a table, tripod or wall. The SV3600 compact Hub simplifies cabling and makes it easy to run cables under tables and through conduit. Integrated data and power means that the camera and audio system each connect with a single cable. The included 5m / 16 ft cables give you lots of placement options, while optional extended cables offer double reach.

### CONVENIENT CONTROLS, COLOUR LCD DISPLAY

The SV3600 provides a remote control, and it features an LCD status screen to mute audio, adjust volume, move the camera, Bluetooth, and 2 camera presets for pan, tilt, and zoom settings.

### HIGH-DEFINITION VIDEO

Bring meetings into focus with the SV3600 premium lens, 12x lossless zoom, and HD 1080p/30 performance. Perfectly frame presenters and whiteboards with pan/tilt control, and zoom in for detail and clarity. The SV3600'S 72.5°~6.9° diagonal field-of-view provides ideal coverage for medium and large conference rooms, with motorized pan and tilt for wall-to-wall, floor-to-ceiling coverage.

### BLUETOOTH, VIDEO+AUDIO MULTI-PARTY CONFERENCING

You can even pair the SV3600 with your audio system or tablet to enjoy outstanding audio clarity and ample volume with mobile applications and conference calls. Meanwhile, the video+audio multi-party conferencing can be achieved by joining a conference call via a bluetooth call during a video conference.





## Eacome SV3600 Specifications



### CAMERA

**HD 1080p video quality at 30 frames-per-second**

Brings lifelike full HD video conference calls

**72.5° ~6.9° Field of view with mechanical**

**±170° pan and -30° ~+90° tilt**  
The generously wide field of view and silky smooth pan and tilt controls enhance collaboration by making it easy to see everyone in the room.

**12x Lossless HD zoom**

Zero in on close-ups of objects and whiteboard content with outstanding detail and clarity.

**Autofocus**

High-precision lens automatically focuses on people and objects to deliver razor-sharp resolution wherever the lens is pointed.

**Far-end camera control**

Controlled PTZ by IR remote controller or arrow keys on the audio system

**3 camera presets**

Plug-and-play camera setup



### AUDIO SYSTEM

**Full-duplex audio system**

**Spacious audio**

Participants can converse within a 8m/20-ft (Expansion mics support 10m/26.24-ft)diameter around the audio system and be heard so clearly by remote participants that it seems like conversations are happening in the same room.

**Beamforming technology with 12 built-in omni-directional mics**

Conversations sound realistic and natural by minimizing sound reflections (reverb) and distracting audio artifacts.

**Acoustic echo cancellation**

Advanced acoustic engineering reduces echo,making calls sound more natural.

**Noise reduction technology**

Ambient noises and other distracting tones are suppressed to support comfortable natural-sounding conversation on both ends of the call. High bandwidth HD audio.

**Plug-and-play audio system setup**



### HUB

**Compatible with Mac® and PC**

Simply connect a PC or Mac® to conduct within the user's own familiar computing environment.

Compatible with Mac and PC. System Requirements: Windows 7.8.1

or 10,Mac OS X 10.7 or higher, Android, Linux.

**Works with most UC and video conferencing applications**

Users are free to use the desktop video conferencing program of their choice Works with most UC,video conferencing and cloud communication apps.


**Broad application compatibility**

Compatible with most common IM and conferencing Apps software, such as Zoom, Polycom, Microsoft Lync, CISCO WebEx, WeChat,Skype, Vidy, and Skype for business.



### SV3600

The amazingly affordable video conferencing system for medium to large-sized meeting rooms, allows any meeting place to be a video collaboration space.



### EXTENSION MICROPHONES

**Optional Extension Mics**

Expand the conversation area from 8m/26-ft to 10m/33-ft so that even those away from the audio system can be clearly heard. Microphones, sold in pairs, are automatically recognized and configured by simply plugging them into the audio system.




### REMOTE CONTROL


Operate camera pan,tilt and zoom, volume up/down and answer/hang-up functions on the base audio system console or with remote control.

# Eacome SV3600 Application

## SV3600 Conference Solution



## SV3600+Extension Mic. Conference Solution



### Partners



BlueJeans



lifesize



zoom

### Product Information and Packaging

#### INSIDE THE BOX

Window 7.8.1 or 10, Mac OS x10.7 m or higher, Android, Linux  
 Note: For full HD support, please check with your software application for system requirements

#### INSIDE THE BOX

1. Audio System
2. HD PTZ Camera
3. Hub
4. Remote Control
5. 5m DIN6 Cable \*2 pcs
6. 3m USB Cable \*1 pcs
7. Power Supply

#### PRODUCT DIMENSIONS

Camera  
 Size: 144mm x 144mm x 167.9mm (L x W x H)  
 Audio System  
 Size: 238mm x 238mm x 53mm (L x W x H)  
 Hub  
 Size: 120mm x 74mm x 34mm (L x W x H)  
 Group  
 Size: 520mm x 316mm x 165mm  
 Weight: 3.25kg

To order, contact your preferred reseller or order

online: [www.eacome.com](http://www.eacome.com)

Address: Floor 15th, Baoneng Technology Building, Qingxiang Road, Longhua District, Shenzhen, China

Tel: +86-75586223352 ext 838

Mob: +86-13922832151

Email: [Tylerzhou@eacome.cn](mailto:Tylerzhou@eacome.cn)

Web: [www.eacome.com](http://www.eacome.com)

Published August 2019

2 Years warranty

Includes Blue Jeans, BroadSoft, Lifesize, Zoom, Polycom, Microsoft Lync, CISCO WebEx, Wechat, Skype, Vidyo, and Skype for business etc.

Integrations 2019 Eacome. Eacome, the Eacome logo and other marks are owned by Eacome and may be registered.

All other trademarks are the properties of their respective owners. Eacome assumes no responsibility for any errors that may appear in this publication. Product pricing and feature information contained herein is subject to change without notice.