# Large Venue

### Catalogue

The large projection screen range





# Large Venue

Screenline offers a wide range of large screens. Motorized screens can reach 12 m. The frame range thanks to the modular system has no size limit.


	Pro				WALK WALK			
Maximilian 2.0 standard	Maximilian 2.0 pro	Lodo Evolution Lodo Evolution tensioned	Big Lodo Evolution Big Lodo tensioned Evo	Lodo Inceiling Lodo Inceiling tensioned	Inceiling Big Lodo	New Big Frame	New Only White	Vertikal
Base from 800 up to 1200 cm.	Base from 800 up to 1200 cm.	Base from 400 up to 700 cm.	Base from 700 up to 850 cm.	Base from 400 up to 700 cm.	Base from 700 up to 850 cm.	Base from 450 up to 1600 cm.	Base from 450 up to 1600 cm.	For screens up to 700 cm.

### Maximilian 2.0 standard

The most large venure screen

























#### Polichinelle system

With "Polichinelle" system the wrapping tube goes down to the lower end stroke while unwrapping the projection fabric until it is completely open.

The system uses two lateral cables to put the tube in motion. In our screen, the two cables are replaced by two stainless steel belts which, when wrapping up, avoid any possible overlapping or derailment.



#### **Key features**

Motorized screen of "polichinelle" system

The wrapping tube goes down thanks to 4 stainless

Stainless steel belts with safety blocks at the two extremities

Side motor with motion trasmission throug rotating axles

Black case

#### **New Service Screen Assembly** on site.

Screenline offers transportation, porterage and screen assembly service in a theater. We will pack the screen in packages with dimensions congruent to the space available for the access to the theater and we will assemble it on site.

Our team will deliver it perfectly assembled in the right position to complete the installation.



#### **Brackets**

Eyebolt lifting brackets

Ceiling mount brackets

High Ceiling mount brackets

Truss mount brackets

Hoist chains











#### **New improved version**

No more junctions: one piece rolling tube

15% lighter then previous versions

Double speed 0,50 m/s thanks to the new motor: 70 -120 rpm

Replaced steel cables with steel belts: quieter and safer.


New motor with additional safety system. Installed on the desired side.

Control box supplied disconnected (quick plug - in system on board)

#### **Easy installation**

The aluminium supporting beam on top of the screen holds four sliding plates which allow the installation of the screen with clamps and brackets suitable for concrete, steel or wooden beams.







High Ceiling

mount brackets



#### **Key features**

Motorized screen of "polichinelle" system

The wrapping tube goes down thanks to 4 stainless steel belts

Stainless steel belts with safety blocks at the two extremities

Side motor with motion trasmission through rotating axles

Black case

6



#### Pro version

Double steel belts



### New Service Screen Assembly on site.

Screenline offers transportation, porterage and screen assembly service in theaters. We will pack the screen in packages with dimensions congruent to the space available for the access to the theater and we will assemble it on site.

Our team will deliver it perfectly assembled in the right position to complete the installation.

#### **Features**

Eyebolt lifting

brackets

No more junctions: one piece rolling tube

Ceiling mount

brackets

15% lighter then previous versions

Double speed 0,50 m/s thanks to the new motor: 70 -120 rpm

Replaced steel cables with steel belts: quiter and safer.

New motor with additional safety system. installed on the desired side.

Control box supplied disconnected (quick plug - in system on board)


#### **Easy installation**

Truss mount

brackets

Hoist chains

The aluminium supporting beam on top of the screen holds four sliding plates which allow the installation of the screen with clamps and brackets suitable for concrete, steel or wooden beams.



### **Lodo Evolution Lodo Tensioned Evolution**

The large-sized professional screen.







Base from 400 up to 700 cm.

























#### **Key features**

For Large venues

Perfect integration of the counterweight in the box in the long run.

Side motor with motion trasmission throug rotating axles


Anti - droop - fabric.



#### **Features**

Lodo is both sturdy and practical: the mechanism made of robust aluminium components allows the installation of fabrics. Wide at the base.

The brackets allow wall or ceiling installation, choosing the distance of the screen from the wall and make it possible to correct the central position also once installed.



Lodo Evolution

Lodo Evolution Tensioned




#### **Brackets**

For wall and ceiling installation








#### - Tubolar motor

Smart force measurement.

Automatic block when counterweight is stuck in.


Limit switches are factory set guaranteeing a long life span.



## **Big Lodo Evolution Big Lodo Tensioned Evo**

The large-sized professional screen.





### Base from 700 up to 850 cm.



























#### **Key features**

For Large venues

Perfect integration of the counterweight in the box in the long run.

Anti - droop - fabric.

Available black or white



#### **Features**

Lodo is both sturdy and practical: the mechanism made of robust aluminium components allows the installation of fabrics Wide at the base.

The brackets allow wall or ceiling installation, choosing the distance of the screen from the wall and make it possible to correct the central position also once installed. The chains make it easy to lift and move the screen. Once they are anchored, they are a further safety measure.

#### **Brackets**

For wall and ceiling installation




#### **Tubolar motor**

Smart force measurement.

Automatic block when counterweight is stuck in.

Limit switches are factory set guaranteeing a long life span.




 $\sigma$ 

## Lodo Inceiling Lodo Inceiling Tensioned


Motorized concealed screen.











Perfect integration of the counterweight in the box in the long run.

For Large venues

Anti - droop - fabric.

The weighted bar has a flat base which sits fully flush into the screen case for beautiful aesthetic appearance when the screen is closed.

**Features** 

Neat, fully closed finish.








#### **Tubolar motor**

Smart force measurement.

Automatic block when counterweight is stuck in.

Limit switches are factory set guaranteeing a long life span.



2 13

## Big Lodo Inceiling **Big Lodo Inceiling Tensioned**

Motorized concealed screen.









#### Base from 700 up to 850 cm.





























#### **Key features**

For Large venues

Perfect integration of the counterweight in the box in the long run.

Anti - droop - fabric.



#### **Features**

Neat, fully closed finish.

The weighted bar has a flat base which sits fully flush into the screen case for beautiful aesthetic appearance when the screen is closed.









#### **Tubolar motor**


Smart force measurement.

Automatic block when counterweight is stuck in.


Silent soft brake.

Limit switches are factory set guaranteeing a long life span.

#### **Technical drawing**



15





Stands



Eyebolts



Aliscaf clamps



Feet



#### **Key features**

For Large venues

Easy and fast fabric installation with pressure arrow border

Robust frame

Various positioning accessories

Extremely versatile in many applications

Also available with pins system



#### **Features**

**Fast:** New frame with arrow borders. Easily installed thanks to the snap-on fabric positioned inside the dedicated groove, replacing the slow installation of the old eyelet frames.

**Smart:** 5 fixing grooves allow coping with the stretching and shrinking of the fabric.

**Clean:** No more spots or abrasions on the fabric. Now the placement of the fabric is made side up.


#### Fabric installation with pressure arrow borders



Modular system

**Brackets** 

Brackets





17

76





**Easy Installation** 










Simply white, perfectly flat and clean, New Only White stands out for its elegance and harmony in any application, satisfying the requirements and tastes of the most demanding client.

New Only White has the same frame of New Big Frame: The frame itself provides full vision. By simply fixing a larger fabric in the rear groove of the frame we obtain a perfectly flat, completely white screen of remarkable dimensions.

Fast and clean installation remains an absolute prerogative of this new screen even though its main quality is beauty.

#### Versatile / modular system







19  ${\tt B}$ 

### Vertikal

Lifting screen







It can lift screens from 300 base viewing area up to 700 cm



#### **Features**

Lift for screens up to 7 meters viewing area base. Modular system with 2 drums. Maximum height 500 cm. Tubolar motor with integrated elecromechanical brake.



#### **Available for**

- $\cdot$  MOT
- · JAGO · COPERNICO
- ·LODO
- · LODO EVOLUTION




#### **Technical Features**

- 3 anchor points2 steel belts
- · Max height steel belts: 5m






#### Versatile / modular system



21

 $\mathcal{D}$ 





## SCREJNLINE the screen makes the difference



