EB-E20

DATASHEET / BROCHURE





With the versatility to mount just about anywhere, bright, sharp images and low maintenance, the EB-E20 is a great all-rounder for business.

The EB-E20 offers a very versatile proposition that can be mounted just about anywhere. Meanwhile long lamp life and trusted Epson durability offer peace of mind and minimal maintenance.

Bright, vivid content on a large scalable screen

Enjoy large scale presentations with crisp, clear text, as well as compelling imagery and video content, on screen sizes up to 350 inches. 3,400-lumen performance combines with a high contrast ratio of 15,000:1 to offer outstanding visual performance, even in well-lit rooms.

Years of uninterrupted meetings

With a lamp life of up to 12,000 hours in Eco mode.

Easy to use

Built-in lens shutter that allows easy restart and shut down. User friendly home screen that enables you to confidently and easily connect your device to the projector.

Multiple inputs on one display with audio

Display size matters; scalable up to 350" to enhance your viewing experience and ensure that content shown is not too small. That way everyone in your meeting has the same opportunities to share and engage.

High quality sound

This projector has a built-in 5W speaker to allow audio content to be heard clearly without the need for separate external speakers.

KEY FEATURES

- High-quality bright images 3LCD technology and equally high White and Colour Light Output
- Portable

Small and light enough to be moved easily and used in multiple rooms

- High quality sound Built-in 5W speaker for crisp, clear sound
- Low total cost of ownership Lamp life up to 12,000 hours in Eco mode
- Versatile and flexible control Project from many sources with HDMI



PRODUCT SPECIFICATIONS

TECHNOLOGY		
Projection System	3LCD Technology, RGB liquid crystal shutter	
LCD Panel	0.55 inch with C2 Fine	
Color Light Output	3,400 Lumen- 2,200 Lumen (economy) In accordance with IDMS15.4	
White Light Output	3,400 Lumen - 2,200 Lumen (economy) In accordance with ISO 21118:2020	
Resolution	XGA	
Aspect Ratio	4:3	
Contrast Ratio Light source	15,000 : 1	
0	Lamp	
Lamp Keystone Correction	UHE, 210 W, 6,000 h durability, 12,000 h durability (economy mode) Manual vertical: ± 30 °, Manual horizontal ± 30 °	
Colour Video Processing	10 Bits	
2D Vertical Refresh Rate	100 Hz - 120 Hz	
Colour Reproduction	Upto 1.07 billion colours	
OPTICAL		
Throw Ratio	1.44 - 1.95:1	
Zoom	Digital, Factor: 1 - 1.35	
Screen Size	30 inches - 350 inches	
Projection Distance Wide/Tele	e 1.76 m (60 inch screen	
Projection Lens F Number	1.44	
Projection Lens Focal Length	16.7 mm	
Projection Lens Focus	Manual	
Offset	8:1	
CONNECTIVITY		
USB Display Function	2 in 1: Image/ Sound	
Interfaces	RS-232C, VGA in (2x), VGA out, HDMI in, Composite in, Jack plug out, Jack plug in (2x), Cinch	
	audio out, USB 2.0	
Epson iProjection App	Ad-Hoc / Infrastructure	
ADVANCED FEATURES		
Security	Kensington lock, Control panel lock, Security cable hole, Password protection	
2D Colour Modes	Dynamic, Cinema, Presentation, sRGB, Blackboard	
Other features	AV Mute Slide, CEC compatible, Digital zoom, Direct Power on/off, Document Camera	
	Compatible, OSD copy function, Quick Corner, Split-Screen-Function	
Video Color Modes	Blackboard, Dynamic, Presentation, sRGB, Theatre	
GENERAL		
Power consumption	286 Watt - On mode power consumption (Normal)	
P	327 Watt (Peak), 225 Watt (Eco), 0.3 Watt (Energy saving standby)	
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz	
Product dimensions	309 x 282 x 87 mm (Width x Depth x Height)	
Product weight	2.7 kg	
Noise Level	Normal: 37 dB (A) - Economy: 28 dB (A)	
Supported Temperature	Operation 5° C - 40° C, Storage 10° C - 60° C	
Supported Humidity	Operation 20% - 80%, Storage 10% - 90%	
Options	Air filter, Ceiling mount, Document camera, External Speaker, Safety wire set, Soft carry case,	
	Spare lamp, Suspension adapter, WP System - ELPWP20, Wireless transmitter - ELPWT01	
Loudspeaker	5 Watt	
Room Type / Application	Boardroom, Huddle space / Portable, Meeting room / Classroom	
Positioning	Ceiling Mounted, Desktop	
Colour	White	
071170		
OTHER	20 months Compliant and 20 months and 2000 to	
Warranty	36 months Carry in, Lamp: 36 months or 1,000 h	
	Optional warranty extension available	

EB-E20

WHAT'S IN THE BOX

- Main unit
- Power cable
- Remote control incl. batteries

EPSON[®]

- Warranty card
- Quick Start Guide
- HDMI Cable 1.8m

OPTIONAL ACCESSORIES

- Soft Carry Case ELPKS70 V12H001K70
- Lamp ELPLP97 EB9XX/W49/X/E20/U50/EB-x05/x41/x42/EH-TW6 V13H010L97
- Air Filter ELPAF32 V13H134A32
- Ceiling Pipe (450mm) ELPFP13 V12H003P13
- Ceiling Pipe (700mm) ELPFP14 V12H003P14
- Safety Wire ELPWR01 V12H003W01
- Active Speakers (2 x 15W) ELPSP02 V12H467040
- Active Speakers (2 x 15W) ELPSP02 V12H467040DA

LOGISTICS INFORMATION

ѕки	V11H981040
EAN code	8715946680743
Country of Origin	Philippines

* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com
Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09
74 75 04 04

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742

Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway +47 67 11 37 00 Poland 0-0-800 4911299 (0,16 zl/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711)

465-9621 Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal - 0,99 kr/min, Lokala samtal - 0,30 kr/min, Utlandssamtal - 0,89 kr/min)

Switzerland 022 592 7923 Turkey (0212) 3360303 United Kingdom 0871 222 6702

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.

EB-E20

